

T 8 N

R 3 E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N. VII North, Range N. III East of the 2<sup>nd</sup> Meridian. Surveyed by A. Henric - 1815  
James Hedges 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
33.34	Land very hilly	38.9	Hilly & poor	2.33	Hilly & poor
32.33	ditto	3.8	Same	35.36	Unbroken 2 <sup>nd</sup> rate M. Oak, Hickory, Gum &c.
28.33	ditto	4.5	Same	16.35	Hilly poor land, timber Oak, Hickory &c.
28.30	ditto	27.28	Same M. Oak, Hickory, Gum &c.	25.36	Same
31.32	Hollow, thin Soil	21.28	Part level 2 <sup>nd</sup> rate, Part hilly & poor, timber Same	22.26	Same
29.32	ditto	21.22	Level 2 <sup>nd</sup> rate	23.26	Same
29.30	ditto	16.21	Level & poor	24.25	Same
29.20	ditto	15.16	Same	23.24	Same
19.30	ditto	9.16	Same	14.23	Same
30.31	Good farming land, timber Oak, &c.	9.10	Same	13.24	Same
19.20	Land hilly poor M. Oak, Hickory, Dogwood &c.	4.9	Same	13.14	Same
18.19	Same	3.4	Same	11.14	Same
17.18	Broken & poor M. Oak, Gum, Hickory &c.	30.35	Same	12.13	Same
7.8	Very hilly & poor	27.34	Same	2.11	Same
7.8	Same	26.23	Same	1.12	Same
6.7	Same	22.27	Same	1.2	Same
5.6	Same	22.23	Same		
20.29	Same	15.22	Same		
20.21	Hilly poor & thin soil, M. Oak, L. Oak, Hickory, Dogwood &c.	14.15	Same		
19.20	Hilly & poor	10.15	Same		
16.17	Same	10.11	Same		
8.17	Same	3.10	Same		



# Township N. 8 North, Range N. 3 East of 2<sup>nd</sup> Mer.

Range line -	Var.	
North Between Ranges 3 & 4 E. Township N. 8 North		72.76 A. Maple 12 in. diam.
On the East Side of Sec. 36		80.00 Set post corner of Sec. 12 & 13
22.20 A. W. Oak 18 in. diam.		B. Oak 30 S 27 W 21
40.00 gr. Sec. corner	W. Oak 13 S 41 E 25	W. Oak 24 S 70 E 48
	Hickory 7 S 61 W 24	Brook land, Oak, Birch, Hickory, Oak, Birch, Hickory
62.90 A. Branch 8 lbs. West		North On the East Side of Sec. 12
74.25 A. Branch 8 lbs. N. W.		13.72 A. W. Oak 10 in. diam.
80.00 Set post corner of Sec. 25 & 36		40.00 gr. Sec. corner S 30 W 11
	W. Oak 15 S 41 E 14	Dogwood 4 S 16 E 20
	do 20 S 21 W 37	55.24 A. W. Oak 18 in. diam.
Brook land, Oak, Hickory, Aug. Sapgrass		80.00 Set post corner of Sec. 10 & 12
North On the East Side of Sec. 25		Beech 14 S 13 W 13
16.15 A. Sugar 18 in. diam.		Dogwood 4 S 55 E 11
16.98 A. Branch 40 lbs. West		Brook land, Oak, Birch, Aug. Sapgrass, Dogwood
40.00 gr. Sec. corner	Sapgrass 6 S 77 E 9	North On the East Side of Sec. 1
	do 5 S 52 W 10	10.24 A. W. Oak 18 in. diam.
56.86 A. W. Oak 20 in. diam.		40.00 gr. Sec. corner S 45 E 24
62.40 A. Branch 8 lbs. S. W.		do 10 S 19 W 11
80.00 Set post corner of Sec. 24 & 25		53.24 A. Oak, Oak 24 in. diam.
	Hickory 20 S 57 E 15	84.96 Post corners of Towns 8 & 9 N. 2 & 3 East
	Poplar 18 S 59 E 26	Sec. 1, 6, 31, 36 W. Oak 13 S 43 W 6
Brook land, Oak, Birch, Hickory, Aug. Sapgrass		Maple 7 S 10 W 20
North On the East Side of Sec. 24		Brook land, Oak, Hickory, Birch
15.90 A. W. Oak 15 in. diam.		Surveyed by John W. Donald D. S.
40.00 gr. Sec. corner	W. Oak 18 S 53 W 24	
	Dogwood 6 S 82 E 25	
80.00 Set post corner of Sec. 13 & 24		
	Maple 9 S 35.36 E 8	
	W. Oak 12 S 57.30 W 26	
Hilly land, timber Oak, Aug. Maple, Grape vine		
North On the East Side of Sec. 13		
8.62 A. Branch 24 in. diam.		
17.70 A. Branch 100 lbs. S. W.		
20.00 gr. Sec. corner	Hickory 7 S 17 W 9	
	W. Oak 27 S 47.30 E 8	

Township lines	East	On the South Side of Sec. 32
West Between Townships 7 & 8 N. 3 East	7.50 A. W. Oak 18 in. diam.	
On the South Side of Sec. 36	16.50 A. Branch 25 lbs. North	
10.00 gr. Sec. corner	W. Oak 20 S 57 W 9	36.50 A. W. Oak 12 in. diam.
	do 18 North 15	40.00 gr. Sec. corner
		W. Oak 11 S 51 W 19
72.40 A. Branch 50 lbs. S. W.		B. Oak 15 S 15 E 21
80.00 Set post corner of Sec. 35 & 36		
	Jun 10 S 35 W 34	69.00 A. W. Oak 14 in. diam.
	Dogwood 6 S 27 E 11	80.00 Set post corner to Sec. 32 & 33
Brook land, timber Oak, Aug. Dogwood, Sapgrass		Jun 11 S 60 E 4
West On the South Side of Sec. 35		B. Oak 8 S 3 W 26
40.00 gr. Sec. corner	W. Oak 10 S 53 E 20	Poor hilly land, Birch, Jun 11
	B. Oak 6 S 7 E 18	East On the South Side of Sec. 33
45.35 A. Branch 8 lbs. North		22.75 A. W. Oak 14 in. diam.
80.00 Set post corner of Sec. 34 & 35		36.50 A. Branch 25 lbs. N. E
	W. Oak 20 S 72 E 54	40.00 gr. Sec. corner
	do 12 S 65 W 53	Beech 9 S 44 W 14
Brook land, Oak, Dogwood, Aug. Sapgrass		do 12 S 52 E 19
West On the South Side of Sec. 34		50.00 A. Branch 20 lbs. West
12.77 Intersected the boundary at the corner		64.25 A. W. Oak 11 in. diam.
Surveyed by John W. Donald D. S.		80.00 Set post corner to Sec. 33 & 34
March 28 <sup>th</sup> 1811.		W. Oak 16 S 52 E 18
From the corner of Towns 7 & 8 N. 2 & 3 East		do 18 S 78 W 38
East On the South Side of Sec. 31		Poor hilly land, W. Oak, Beech
7.50 A. Branch 10 lbs. S. W.		East On the South Side of Sec. 34
16.50 A. W. Oak 14 in. diam.		9.00 A. Branch 25 lbs. North
40.00 gr. Sec. corner	Jun 18 S 72 E 10	23.50 A. W. Oak 16 in. diam.
	B. Oak 30 S 45 W 17	40.00 gr. Sec. corner
		Jun 18 S 72 E 10
63.50 A. Branch 30 lbs. North		57.00 A. W. Oak 16 in. diam.
77.50 A. B. Oak 12 in. diam.		58.50 To Boundary line
80.00 Set post corner of Sec. 31 & 32		W. Oak 12 S 55 E 10
	W. Oak 12 S 28 W 8	Beech 5 S 36 W 12
	Beech 10 S 57 E 36	Poor hilly W. Oak land
	Land hilly & poor, Oak, Beech	Surveyed by H. Holmes D. S.

See a correction of this Township line, at the end of the Subdivisions of this Township.



Subdivisions South of Old Boundary  
of Township 8 N. Range 3 East

North Between Secs 32 & 33  
40.00 gr. Sec. corner Dogwood 3 S 1/4 W 4  
Beech 15 N 1/2 W 26  
48.50 Set post on the boundary  
Cedar 15 S 88 W 10  
Hickory 20 N 13 E 32

Land Hilly, very hilly

North Between Secs 32 & 33  
40.00 gr. Sec. corner Ironwood 4 S 65 W 11  
do 8 S 74 E 13  
68.65 A. Brook 100 lbs West  
80.00 Set post corner of Secs 28, 29, 32, 33  
Beech 18 S 26 W 22  
do 15 N 32 W 24

Land the same

East Between Secs 28 & 33  
18.00 A. Brook 100 lbs S. E.  
36.82 Set post on the boundary W. Oak 12 S 55 E 13  
Beech 3 N 43 W 6

Land the same

North Between Secs 28 & 29  
25.50 To the boundary in the Brook 100 lbs East  
Land the same

North Between Secs 31 & 32  
34.00 A. Brook 1.25 lbs S. W  
40.00 gr. Sec. corner Beech 18 N 35 W 7  
Ash 18 S 5 E 27  
80.00 Set post corner to Secs 29, 30, 31, 32  
Sugar 10 S 8 E 8  
do 6 West 12

Land Rolling thin soil

East Between Secs 29 & 32 on Random  
37.50 A. Brook 1/2 lbs South  
40.00 Temporary gr. Sec. post  
40.00 A. Brook 100 lbs North  
79.50 To Sec. corner  
West corrected  
39.75 gr. Sec. corner Beech 20 N 77 W 16  
do 20 N 51 E 29

79.50 Section corner  
North Between Secs 29 & 30  
39.00 A. Brook 15 lbs South West  
40.00 gr. Sec. corner W. Oak 2 N 31 E 5  
Hickory 24 S 4 W 6  
80.00 Set post corner of Secs 17, 20, 29, 30  
Sycamore 3 S 20 W 30  
No other trees noted

Land the same

East Between Secs 20 & 29  
1.88 Set post on the boundary  
W. Walnut 4 N 15 E 12  
do 10 S 7 E 16

Land the same

North Between Secs 19 & 20  
1.39 Set post on the boundary  
Beech 10 N 84 W 63

Land the same

West Between Secs 19 & 30  
40.00 gr. Sec. corner W. Oak 20 N 55 E 19  
do 20 N 55 W 19  
80.84 Set post on the West boundary 96 lbs  
North of Sec. corner Poplar 20 S 9 E 12  
do 15 N 43 W 14

Land Hilly thin soil. Oak & Hickory

West Between Secs 30 & 31  
7.00 A. Brook 12 lbs S. W  
40.00 gr. Sec. corner Beech 10 S 62 W 6  
Sugar 7 N 32 E 20  
80.88 Set post on the West boundary 11 lbs  
North of Sec. corner W. Oak 20 S 52 E 7  
do 15 West 22

Good farming land, timber Oak &c.

Surveyed by Arthur Menier D. I  
Subdivisions North of Old Boundary

North Between Secs 19 & 20 S. R. 3 East  
1.65 brook old boundary line  
5.00 Buck on bend of stream 20 lbs S E  
10.13 A. Walnut 18 in. diam?  
17.10 A. Brook 8 lbs S 40 E  
38.40 A. Brook 8 lbs S 45 E  
40.00 gr. Sec. corner Sugar 12 S 53 E 31  
Buckeye 8 S 7 W 61  
55.00 A. Brook 20 lbs S 10 E  
63.00 A. W. Oak 13 in. diam?  
78.00 A. Brook 12 lbs S 15 W  
80.00 Set post corner to Secs 17, 18, 19, 20

Hickory 8 S 6 W 45

Sycamore 20 S 59 E 40

Land Hilly & poor W. Oak 11 in. diam. <sup>Leaved</sup>  
Oaks 7. 1819

West Between Secs 18 & 19 on Random  
23.00 A. Brook 15 lbs South  
34.00 A. Brook 15 lbs S 60 E  
40.00 Temporary gr. Sec. post  
79.72 Intersected W. boundary 92 lbs S of corner  
Hilly poor land. W. Oak, Oak, Hickory, Dogwood

East corrected

39.76 gr. Sec. corner W. Oak 20 N 4 W 56  
Maple 14 S 10 E 9

79.72 Section corner

North Between Secs 17 & 18 (Dec. 5<sup>th</sup> 1819)

27.86 A. Gum 15 in. diam?  
40.00 gr. Sec. corner Poplar 18 S 61 W 24  
R. Oak 24 S 54 E 32  
69.75 A. Hickory 12 lbs in. diam?  
80.00 Set post corner to Secs 7, 8, 17, 18  
W. Oak 28 S 46 W 15  
Gum 10 N 67 E 39

Broken poor land. W. Oak, Gum, Hickory, Sassafras

West Between Secs 7 & 18 on Random

24.60 A. Brook 10 lbs S 10 E  
40.00 gr. Sec. corner Temporary  
76.10 A. Brook 10 lbs East  
80.74 Intersected West boundary 24 lbs South of corner  
Very Hilly & poor land. W. Oak, Oak, Hickory, Gum  
East corrected  
40.37 gr. Sec. corner Ches. Oak 13 N 63 E 24  
do 13 N 55 W 50

80.74 Section corner

North Between Secs 7 & 18 (Dec. 9<sup>th</sup> 1819)

22.64 A. W. Oak 15 in. diam?  
40.00 gr. Sec. corner Ches. Oak 11 S 81 W 21  
do 13 N 77 E 30  
66.90 A. W. Oak 18 in. diam?  
80.00 Set post corner to Secs 5, 6, 7, 8  
R. Oak 40 N 44 E 11  
Hickory 13 S 16 E 61

Land & timber same

West Between Secs 6 & 7 on Random

40.00 Temporary gr. Sec. post  
43.60 A. Brook 4 lbs S 30 E  
78.75 Intersected West boundary 31 lbs North of corner  
Poor Hilly land. timber. Ches. Oak, B. Oak,  
Hickory, Mug. Dogwood & Sassafras.



East corrected Between Sec<sup>s</sup> 6 & 7  
 39.37<sup>2</sup> gr. Sec. corner Chst. Oak 10 St 41 N 34  
 do 24 S 49 E 37  
 78.75 Section corner  
 North Between Sec<sup>s</sup> 5 & 6  
 10.39 A. Poplar 13 in. diam.  
 40.00 gr. Sec. corner Chst. Oak 24 S 86 W 46  
 do 18 St 24 E 50  
 54.00 A. Brook 6 lbs St 60 W  
 62.50 A. Maple 8 in. diam.  
 72.10 A. Brook 8 lbs St 70 W  
 80.50 A. Brook 10 lbs S 45 W  
 92.75 Intersected North Boundary 800 lbs East of corner  
 Hickory 3 St 40 E 22  
 W. Oak 6 S 3 W 60  
 Land Hilby floor. W. Oak Chst. Oak. Aug<sup>th</sup> Dogwood  
 East Between Sec<sup>s</sup> 20 & 21  
 1.88 Cropped Boundary line  
 2.00 A. Brook 20 lbs South  
 34.65 A. W. Oak 13 in. diam.  
 40.00 Set temporary gr. Sec. post  
 18.30 A. W. Oak 24 in. diam.  
 50.75 A. Brook 6 lbs S 80 E  
 72.00 A. Brook 20 lbs South  
 80.00 Set temporary Sec. post  
 Land Hilby floor. W. Oak & Brook. Aug<sup>th</sup> Dogwood  
 North Between Sec<sup>s</sup> 28 & 29  
 Commence on boundary line in brook 100 lbs S 30 W  
 do 10  
 which is 25 & 50 from Section corner  
 14.60 Set temporary gr. Sec. post  
 21.70 A. Brook 14 in. diam.  
 25.50 A. Brook 20 lbs S 40 E  
 57.00 Intersected St. boundary 29 lbs N of temporary post  
 Set post to Sec<sup>s</sup> 20, 21, 28, 29. W. Oak 18 S 74 W 41  
 To W. Oak 20 St 74 E 20 lbs Land Measure post bottom  
 W. Oak. Brook. Sugar. Aug<sup>th</sup> Dogwood

South Between Sec<sup>s</sup> 28 & 29  
 41.25 Set post at average dist. for gr. Sec. corner  
 Brook 10 S 85 W 22  
 do 12 St 4 E 56  
 Travel West Between Sec<sup>s</sup> 20 & 21 Set  
 post at average dist. for gr. Sec. corner  
 Hickory 11 St 58 E 6  
 W. Oak 10 S 21 W 26  
 North Between Sec<sup>s</sup> 20 & 21  
 13.70 A. Brook 9 in. diam.  
 22.50 A. Brook 20 lbs S 15 W  
 26.50 Same Brook S 20 E  
 40.00 gr. Sec. corner Brook 7 S 19 E 10  
 W. Oak 7 St 9 W 9  
 45.50 A. Brook 10 lbs S 30 W  
 47.00 Same Brook S 15 E  
 57.75 A. W. Oak 13 in. diam.  
 50.00 Set post corner of Sec<sup>s</sup> 16, 17, 20, 21  
 Chst. Oak 18 St 20 W 47  
 W. Oak 24 St 66 E 21  
 Land Hilby floor. W. Oak Chst. Oak.  
 Hickory & Brook. Aug<sup>th</sup> Dogwood  
 West Between Sec<sup>s</sup> 17 & 20 One Randon  
 8.70 A. Brook 12 lbs South  
 40.00 Temporary gr. Sec. post  
 80.36 Intersected W. Boundary 14 lbs St. of corner  
 Land Hilby floor. W. Oak & Hickory. Aug<sup>th</sup> Dogwood  
 East corrected  
 40.18 gr. Sec. corner W. Oak 6 S 83 W 4  
 do 16 St 4 E 27  
 80.36 Section corner  
 North Between Sec<sup>s</sup> 16 & 17  
 11.40 A. W. Oak 13 in. diam.  
 40.00 gr. Sec. corner W. Oak 16 S 15 E 31  
 do 24 St 63 W 23

40.00 A. Brook 6 lbs S 80 E  
 54.40 A. W. Oak 24 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 8, 9, 16, 17  
 W. Oak 36 S 89 E 44  
 do 36 S 80 W 15  
 Land the same, but thickly  
 West Between Sec<sup>s</sup> 8 & 9 One Randon  
 12.50 A. Brook 8 lbs St 60 E  
 40.00 Temporary gr. Sec. post  
 75.00 A. Brook 8 lbs South  
 80.00 Intersected W. Boundary 153 lbs North of corner  
 with four lands. W. Oak Chst. Oak. Hickory. Aug<sup>th</sup> Dogwood  
 East corrected  
 40.00 gr. Sec. corner Poplar 5 S 37 W 46  
 W. Walnut 3 S 39 E 14  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 8 & 9  
 8.00 A. Brook 8 lbs St 60 E  
 12.50 A. Sugar 13 in. diam.  
 18.00 A. Brook 20 lbs East  
 40.00 gr. Sec. corner W. Oak 12 S 32 E 31  
 do 16 St 25 W 13  
 55.00 A. Brook 20 lbs S 35 E  
 58.60 A. Brook 10 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 4, 5, 8, 9  
 W. Oak 6 St 35 E 8  
 do 12 St 77 W 52  
 Land Hilby floor. W. Oak. Hickory. Aug<sup>th</sup> Dogwood  
 West Between Sec<sup>s</sup> 5 & 8 One Randon  
 8.90 A. Brook 15 lbs S 15 E  
 40.00 Temporary gr. Sec. post  
 53.50 A. Brook 6 lbs South  
 56.75 A. Brook 6 lbs S 15 E  
 80.80 Intersected West boundary 53 lbs St. of corner  
 Land & Timber same

East corrected Between Sec<sup>s</sup> 5 & 8  
 40.40 gr. Sec. corner W. Oak 18 St 54 E 32  
 Chst. Oak 14 St 11 E 16  
 80.80 Section corner  
 North Between Sec<sup>s</sup> 4 & 5  
 20.40 A. W. Oak 18 in. diam.  
 40.00 gr. Sec. corner Chst. Oak 10 St 89 E 19  
 do 12 St 5 W 35  
 49.80 A. W. Oak 12 in. diam.  
 89.00 Intersected St. Boundary 660 lbs East of corner  
 W. Oak 13 S 72 W 46  
 do 30 S 83 E 14  
 Land Hilby floor. W. Oak Chst. Oak. Hickory. Aug<sup>th</sup> Dogwood  
 East Between Sec<sup>s</sup> 28 & 33  
 Commenced at Sec. corner  
 30.80 Cropped boundary line  
 40.00 Temporary gr. Sec. post  
 47.60 A. Gum 9 in. diam.  
 80.00 Set temporary gr. Sec. post  
 Land Hilby floor. W. Oak. Sugar & Brook  
 West Between Sec<sup>s</sup> 28 & 33  
 39.00 gr. Sec. corner W. Oak 28 St 1 W 5  
 Brook 12 S 45 E 23  
 North Between Sec<sup>s</sup> 33 & 34  
 Commenced at 1/2 mile post  
 4.50 Cropped boundary line  
 13.50 Corner at 10  
 17.00 A. Hickory 14 lbs St 85 W  
 20.50 A. Hickory 8 in. diam.  
 39.50 Intersected North Boundary 200 lbs West of temporary  
 post. Set post corner to Sec<sup>s</sup> 27, 28, 33, 34  
 Brook 10 S 75 W 30  
 Sugar 6 St 35 E 37  
 Land & Timber same



North Between Sec. 21 & 22  
 11.00 A. M. Oak 18 in. diam.  
 40.00 gr. Sec. corner Hickory 13 ft 60 E 32  
 W. Oak 16 ft 35 W 15  
 44.60 A. Brook 8 lbs 40 W  
 59.00 A. Sugar 8 in. diam.  
 74.50 A. Brook 15 lbs West  
 80.00 Set post corner to Sec. 21, 22, 23, 24  
 W. Oak 12 ft 9 E 32  
 Brook 7 ft 22 N 25  
 Land & timber poor. W. Oak, Hickory, Gum & Dogwood  
 West Between Sec. 21 & 22 on Vandenberg  
 12.50 A. Stream 100 lbs South  
 40.00 Temporary gr. Sec. post  
 77.75 Intersected N. boundary at Sec. corner  
 First for local 2<sup>nd</sup> rate. last for poor & little. W. Oak, Hickory, Gum, Dogwood & Sassafras  
 East corrected  
 38.89 gr. Sec. corner W. Oak 14 ft 39 N 58  
 Gum 14 ft 52 E 2  
 77.75 Section corner  
 North Between Sec. 21 & 22  
 4.50 A. Brook 6 lbs S 30 W  
 10.36 A. M. Oak 18 in. diam.  
 27.50 A. Stream 90 lbs S 40 W  
 31.50 Same stream S 30 E  
 34.50 Same stream S 60 W  
 40.00 gr. Sec. corner Sycamore 48 ft 4 E 25  
 Hickory 18 ft 32 N 9  
 43.50 last mentioned stream S 80 E  
 49.50 Same stream S 35 W  
 59.40 A. Elm 12 in. diam.  
 65.00 A. Stream 50 lbs S 80 E  
 80.00 Set post corner to Sec. 15, 16, 21, 22  
 W. Oak 20 ft 4 ft N 42  
 do 16 ft 10 E 33  
 Soil 2<sup>nd</sup> rate. Bottom. W. Oak, Elm & Beech

West Between Sec. 16 & 21 on Vandenberg  
 4.50 A. Stream 50 lbs S 80 W  
 26.00 A. Brook 15 lbs S 60 E  
 40.00 Temporary gr. Sec. post  
 77.90 Intersected N. boundary 7 lbs S. of Sec. corner  
 Land & timber poor. W. Oak, Hickory, Gum & Dogwood  
 East corrected  
 29.75 gr. Sec. corner Brook 14 ft 34 E 20  
 Sugar 10 ft 55 W 14  
 77.90 Section corner  
 North Between Sec. 15 & 16 (Sec. 14 & 15)  
 6.25 A. Spring run 4 lbs running West head 10 chain East  
 21.38 A. M. Oak 14 in. diam.  
 40.00 gr. Sec. corner W. Oak 26 ft 42 E 47  
 do 12 ft 38 W 25  
 54.40 A. B. Oak 18 in. diam.  
 80.00 Set post corner to Sec. 9, 10, 15, 16  
 Sugar 15 ft 22 N 43  
 W. Oak 15 ft 41 E 56  
 Land & timber same  
 West Between Sec. 9 & 10 on Vandenberg  
 17.50 A. Brook 15 lbs S 5 W  
 40.00 Temporary gr. Sec. post  
 59.50 A. Brook 15 lbs S 70 E  
 80.00 Intersected N. boundary 55 ft S. of Sec. corner  
 Land & timber same & Hickory  
 East corrected  
 40.00 gr. Sec. corner W. Oak 18 ft 80 E 38  
 Hickory 7 ft 99 W 29  
 80.00 Section corner  
 North Between Sec. 9 & 10  
 20.05 A. B. Oak 12 in. diam.  
 40.00 gr. Sec. corner W. Oak 13 ft 8 ft N 32  
 do 11 ft 50 E 29

49.00 A. M. Oak 30 in. diam.  
 77.30 A. Brook 5 lbs S 70 E  
 80.00 Set post corner to Sec. 3, 4, 9, 10  
 W. Oak 12 ft 16 W 63  
 A. Oak 15 ft 4 E 23  
 Land & timber poor & little. W. Oak, Hickory, Dogwood & Sassafras  
 West Between Sec. 4 & 9 on Vandenberg  
 1.00 A. Brook 5 lbs S 70 E  
 40.00 Temporary gr. Sec. post  
 50.00 A. Brook 15 lbs South  
 80.25 Intersected N. boundary 48 ft S. of Sec. corner  
 Land & timber same  
 East corrected  
 40.24 gr. Sec. corner W. Oak 12 ft 13 N 54  
 do 12 ft 13 E 6  
 80.25 Section corner  
 North Between Sec. 3 & 4  
 30.60 A. L. Oak 24 in. diam.  
 40.00 gr. Sec. corner W. Oak 12 ft 37 N 48  
 Poplar 30 ft 37 E 4  
 51.25 A. Poplar 36 in. diam.  
 55.50 A. Brook 8 lbs S 40 W  
 87.50 Intersected N. boundary 8 ft S. of Sec. corner  
 B. Oak 3 ft 44 E 31  
 W. Oak 3 ft 32 N 9  
 Land & timber similar  
 North Between Sec. 3 & 4  
 10.60 A. M. Oak 14 in. diam.  
 26.60 A. Brook 50 lbs S 80 E  
 40.00 gr. Sec. corner Gum 12 ft 30 E 14  
 W. Oak 12 ft 90 W 18  
 80.00 Set post corner to Sec. 26, 27, 34, 35  
 W. Oak 10 corner tree  
 B. Oak 14 ft 54 E 47  
 Land & timber same

West Between Sec. 27 & 34 on Vandenberg  
 1.00 A. Brook 10 lbs S 40 E  
 23.50 A. Brook 8 lbs S 15 E  
 40.00 Temporary gr. Sec. post  
 55.00 A. Brook 8 lbs S 45 W  
 50.00 Intersected N. boundary 3 ft 4 lbs S. of Sec. corner  
 Land & timber poor. W. Oak, Hickory, Gum, Dogwood & Sassafras  
 East corrected  
 40.00 gr. Sec. corner W. Oak 24 ft 30 E 15  
 B. Oak 6 ft 38 W 12  
 80.00 Section corner  
 North Between Sec. 26 & 27  
 6.75 A. Brook 8 lbs S 45 W  
 22.00 A. M. Oak 14 in. diam.  
 40.00 gr. Sec. corner Dogwood 5 ft 30 W 25  
 do 4 ft 49 E 4  
 53.40 A. Poplar 40 in. diam.  
 80.00 Set post corner to Sec. 22, 23, 26, 27  
 Gum 14 ft 89 E 12  
 Brook 8 ft 97 W 11  
 Land & timber as above  
 West Between Sec. 22 & 27 on Vandenberg  
 28.75 A. Brook 6 lbs S 70 W  
 40.00 Temporary gr. Sec. post  
 69.50 A. Brook 6 lbs S 50 W  
 79.60 Intersected N. boundary 20 ft S. of Sec. corner  
 Land & timber same 3<sup>rd</sup> rate  
 East corrected  
 39.80 gr. Sec. corner Poplar 18 ft 12 W 12  
 Brook 8 ft 63 E 19  
 79.60 Section corner  
 North Between Sec. 22 & 23  
 13.50 A. Brook 5 lbs West  
 39.50 A. Brook 12 in. diam.  
 40.00 A. Brook 12 lbs S 50 W



40.00 *gr. Sec. corner* Maple 10 ft 33 E 18  
Sycamore *gr. West 47*

57.00 A. B. Oak 14 in. diam?

60.00 A. Brook 15 lbs S 80 W

80.00 *Set post corner to Sec 14, 15, 22, 23*

M. Oak 22 ft 30 W 10

do 22 East 14

*Land fully clear: M. Oak, Hickory, Sugar, Dogwood, etc.*

West Between Sec 15 & 22 On Random

40.00 Temporary *gr. Sec. post*

66.00 A. Stream 80 lbs S 15 W

80.00 Intersected M. boundary 33 lbs N. 4 Sec. corner

*Land & timber as above*

East Corrected

40.00 *gr. Sec. corner* Spruce 12 ft 48 W 15

M. Oak 12 ft 89 W 31

50.00 Section corner

North Between Sec 14 & 15

20.50 Spr. Elm 14 in. diam?

21.00 A. Stream 80 lbs West

40.00 *gr. Sec. corner* Beech 26 ft 64 W 20

Sugar 10 ft 35 E 22

54.00 A. M. Oak 12 in. diam?

74.00 A. Brook 5 lbs S 50 E

80.00 *Set post corner to Sec 10, 11, 14, 15*

M. Oak 16 ft 13 E 40

do 12 ft 13 W 65

*Land & timber same as above*

West Between Sec 10 & 15 On Random

30.50 A. Brook 8 lbs S 50 E

40.00 Temporary *gr. Sec. post*

48.00 A. Brook 12 lbs South

80.75 Intersected West boundary 14 lbs South of Sec. corner

*Land fully clear: M. Oak, B. Oak, Hickory*

*Along the Dogwood & Sycamore*

West Corrected Between Sec 10 & 15

10.34 *gr. Sec. corner* M. Oak 10 ft 33 W 15

do 20 ft 62 E 19

80.75 Section corner

North Between Sec 10 & 11

20.77 A. Hickory 11 in. diam?

40.17 *gr. Sec. corner* M. Oak 12 ft 67 W 57

do 14 ft 58 E 45

40.50 A. Brook 8 lbs S 60 E

58.75 A. Spruce 9 in. diam?

68.50 A. Brook 15 lbs S 30 E

80.00 *Set post corner to Sec 2, 3, 10, 11*

M. Oak 14 ft 30 E 21

do 18 ft 42 E 50

*Land fully clear: M. Oak, Hickory, Spruce, etc.*

West Between Sec 2 & 10 On Random

6.70 A. Brook 8 lbs South

17.00 A. Brook 10 lbs S 15 E

40.00 Temporary *gr. Sec. post*

66.00 A. Brook 8 lbs South

81.00 Intersected M. boundary 15 lbs S. of Sec. corner

*Land & timber same as above*

East Corrected

40.50 *gr. Sec. corner* M. Oak 14 ft 22 E 4

do 12 ft 10 W 22

51.00 Section corner

North Between Sec 2 & 3

19.60 A. M. Oak 12 in. diam?

33.50 A. Brook 6 lbs S 50 E

40.00 *gr. Sec. corner* M. Oak 8 ft 10 W 38

do 8 ft 3 W 38

46.50 A. Brook 4 lbs S 50 E

39.81 A. M. Oak 14 in. diam?

81.85 Intersected M. boundary 11.10 E. of corner

M. Oak 18 ft 19 W 32

B. Oak 3 ft 39 E 12

*Land the same*

North Between Sec 35 & 36

22.00 A. M. Oak 18 in. diam?

33.00 A. Stream 10 lbs S 80 W

40.00 *gr. Sec. corner* M. Walnut 13 ft 30 E 40

do 8 ft 30 W 67

52.85 A. M. Oak 12 lbs in. diam?

80.00 *Set post corner of Sec 25, 26, 35, 36*

M. Oak 15 ft 50 E 40

do 18 ft 28 E 27

*Land cleared 2<sup>nd</sup> into M. Oak, Hickory, Dogwood, etc.*

West Between Sec 25 & 36 On Random

17.50 A. Brook 2 lbs S 10 W

40.00 Temporary *gr. Sec. post*

45.00 A. Brook 10 lbs S 40 E

80.76 Intersected West boundary 310 lbs S. of corner

*Land fully clear: M. Oak, Hickory, Spruce, etc.*

East Corrected

40.38 *gr. Sec. corner* M. Oak 13 ft 26 W 25

do 13 ft 27 W 22

80.76 Section corner

East Between Sec 25 & 36

19.10 A. M. Oak 24 in. diam?

23.70 A. Brook 10 lbs South

40.10 *gr. Sec. corner* M. Oak 18 ft 17 W 57

Sugar 11 ft 2 W 11

46.00 A. Brook 6 lbs S 50 E

52.80 A. Sycamore 26 in. diam?

54.00 A. Brook 25 lbs S 20 W

68.10 Intersected E. boundary 9 lbs S. of Sec. corner

M. Oak 16 ft 18 W 18

Spruce 16 ft 62 W 58

*Unclear 2<sup>nd</sup> into M. Oak, Hickory, Dogwood, etc.*

North Between Sec 25 & 26

13.00 A. B. Oak 12 in. diam?

20.00 A. Brook 6 lbs S 40 E

36.00 A. Brook 5 lbs S 25 E

40.00 *gr. Sec. corner* M. Oak 13 ft 8 W 38

Refuse 16 ft 5 E 25

58.50 A. Hickory 18 in. diam?

59.50 A. Brook 10 lbs S 60 W

80.00 *Set post corner to Sec 23, 24, 25, 26*

Beech 12 ft 49 E 41

Hickory 13 ft 60 W 34

*Unclear 2<sup>nd</sup> into M. Oak, Hickory, Spruce, etc.*

West Between Sec 23 & 24 On Random

40.00 Temporary *gr. Sec. post*

80.82 Intersected M. boundary 7 lbs S. of Sec. corner

*Land fully clear: M. Oak, Hickory, Spruce, etc.*

East Corrected

40.41 *gr. Sec. corner* Spruce 10 ft 23

B. Oak 10 ft 78 E 33

80.82 Section corner

East Between Sec 24 & 25

2.30 A. Brook 6 lbs S 10 E

12.50 A. Brook 6 lbs S 20 W

15.75 A. M. Oak 18 in. diam?

40.00 *gr. Sec. corner* M. Oak 12 ft 87 W 42

B. Oak 7 ft 56 E 32

46.90 A. M. Oak 16 in. diam?

68.40 A. Brook 8 lbs S 40 W

68.50 Intersected E. boundary 116 lbs North of post corner

M. Oak 16 ft 52 E 15

do 11 ft 31 W 54

*Land & timber same as above*

North Between Sec 23 & 24

24.70 Spr. Elm 12 in. diam?

40.11 *gr. Sec. corner* M. Oak 12 ft 88 W 33

do 14 ft 55 E 53

65.31 A. Maple 13 in. diam?



30.00 Set post corner to Sec<sup>1</sup> 13, 14, 23, 24  
 N. Oak 12 South 30  
 N. 7 North 20  
 Land Billy & Joe. W. B. Chas. Oak. Hickory. Aug. 1894  
 West Between Sec<sup>1</sup> 14 & 23 On Random  
 8.60 A. Brook 10 lks N 40 W  
 40.00 Temporary gr. Sec. post  
 79.52 Intersected West boundary 32 lks N. of Sec. corner  
 Land & timber same 3<sup>rd</sup> rate  
 East Corrected  
 39.76 gr. Sec. corner N. Oak 18 S 61 E 38  
 Hickory 14 S 88 W 43  
 79.52 Section corner  
 East Between Sec<sup>1</sup> 13 & 24  
 11.50 A. M. Oak 12 in. diam.  
 37.00 A. Brook 8 lks North  
 40.00 gr. Sec. corner N. Oak 12 S 46 W 22  
 Brook 8 N 59 E 11  
 60.75 A. Hickory 18 in. diam.  
 62.50 A. Brook 10 lks S 10 W  
 68.00 Intersected East boundary 2.4 lks North of post corner  
 Brook 10 S 42 W 3  
 B. Oak 6 S 32 E 49  
 Billy & Joe. W. B. Chas. Oak. Hickory. Aug. 1894  
 North Between Sec<sup>1</sup> 13 & 14 (Sec<sup>1</sup> 23 & 1894)  
 16.00 A. M. Oak 13 in. diam.  
 33.00 A. Stream 70 lks S 30 W  
 40.00 gr. Sec. corner Brook 8 S 49 W 61  
 do 12 S 40 E 20  
 60.72 A. M. Oak 18 in. diam.  
 80.00 Set post corner to Sec<sup>1</sup> 11, 12, 13, 14  
 N. Oak 10 S 83 E 35  
 do 16 S 38 W 22  
 Billy & Joe. W. B. Chas. Oak. Hickory & Brook.  
 Aug. 1894

West Between Sec<sup>1</sup> 11 & 14 On Random  
 31.00 A. Brook 25 lks S 15 W  
 40.00 Temporary gr. Sec. post  
 45.60 A. Brook 20 lks South  
 79.10 Intersected N. boundary 46 lks N. of Sec. corner  
 Land & timber same 3<sup>rd</sup> rate  
 East Corrected  
 39.55 gr. Sec. corner Brook 5 S 6 E 35  
 N. Oak 12 S 15 W 10  
 79.10 Section corner  
 East Between Sec<sup>1</sup> 12 & 13  
 23.00 A. Brook 15 lks S 10 W  
 31.30 A. M. Oak 18 in. diam.  
 39.70 A. Brook 6 lks S 13 W  
 40.00 gr. Sec. corner N. Oak 16 S 41 W 54  
 do 12 S 46 W 63  
 63.15 A. M. Oak 12 in. diam.  
 66.50 Intersected E. boundary 2.4 lks N. of post corner  
 N. Oak 12 S 35 W 33  
 B. Oak 10 S 83 W 20  
 Land & timber same  
 North Between Sec<sup>1</sup> 11 & 12 (Sec<sup>1</sup> 24 & 1894)  
 12.20 A. M. Oak 30 in. diam.  
 40.00 gr. Sec. corner N. Oak 9 S 65 W 28  
 Brook 11 S 70 E 30  
 52.40 A. M. Oak 14 in. diam.  
 60.00 A. Brook 15 lks S 40 W  
 85.00 Set post corner to Sec<sup>1</sup> 1, 2, 11, 12  
 N. Oak 20 S 6 E 34  
 Gum 18 S 6 E 17  
 West Between Sec<sup>1</sup> 2 & 11 On Random  
 16.00 A. Brook 15 lks South  
 37.60 A. Brook 8 lks S 10 E  
 40.00 Temporary gr. Sec. post

79.10 Intersected N. boundary 130 lks N. of Sec. corner  
 Billy & Joe. W. B. Chas. Oak. Hickory. Aug. 1894  
 East Corrected  
 39.55 gr. Sec. corner N. Oak 16 corner tree  
 do 15 S 47 W 55  
 79.10 Section corner  
 East Between Sec<sup>1</sup> 1 & 12  
 9.90 A. M. Oak 15 in. diam.  
 16.30 A. Brook 5 lks S 10 W  
 28.50 A. Brook 15 lks S 20 W  
 40.00 gr. Sec. corner N. Oak 12 S 84 W 70  
 do 20 S 55 E 21  
 65.90 Intersected E. boundary 3.50 lks N. of post corner  
 B. Oak 7 S 47 W 18  
 Maple 7 S 9 E 23  
 Billy & Joe. W. B. Chas. Oak. Hickory. Aug. 1894  
 North Between Sec<sup>1</sup> 1 & 2  
 15.50 A. M. Oak 12 in. diam.  
 40.00 gr. Sec. corner N. Oak 11 S 59 W 37  
 do 12 S 65 E 33  
 47.80 A. Brook 8 lks S 20 W  
 65.45 A. M. Oak 14 in. diam.  
 76.75 Intersected North boundary 11.12 East of  
 post corner to Sec<sup>1</sup> 35 & 36 in the adjacent  
 township Set post Brook 7 S 47 W 8  
 do 14 S 63 E 18  
 Surveyed by James Hedges D. I.

### Correction of Town line

After running a Random line between Sec<sup>1</sup> 2 & 35  
 S. R. 3 E. from the corner on town line  
 anticipated an error had been made in the  
 measurement on the town line, for the  
 great distance the Random fell short  
 of being a mile.

I then went South to the gr. Sec. post at the  
 South Side of 34 and measured East on town  
 line and found the distance from the 1/2 mile  
 post to the corner of Sec<sup>1</sup> 34 & 35 to be 30 chains  
 & 80 lks I then continued East 90 lks to  
 complete the dist. and set post on town line for  
 corner of Sec<sup>1</sup> 34 & 35 from which a N. Oak 18 S 60 W 14  
 & a N. Oak 14 S 45 E 10 lks from this corner run  
 North between Sec<sup>1</sup> 34 & 35 -  
 Measured on town line and set gr. Sec. post  
 at the South Side of Sec. 35 at its proper dist.  
 from which a N. Oak 16 S 46 E 32 & a N. Oak 17  
 S 81 W 15 lks  
 Set the corner of Sec<sup>1</sup> 35 & 36 on town line 98 lks  
 N. R. 3 E to its proper distance from which a  
 N. Oak 13 S 23 W 46 lks & a N. Oak 14 S 50 E 28 lks  
 Set the 1/2 mile post at South Side of Sec. 36  
 18 N. R. 3 E from which N. Oak 16 S 47 W 38  
 do 14 S 33 W 57  
 Surveyed by James Hedges D. I.



RETAKE




RETAKES



T 8 N

R 3 E





Township N. VIII North, Range N. III East of the 2<sup>nd</sup> Meridian. Surveyed by A. Henric - 1815  
James Hedges 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
33.34	Land very hilly	38.39	Hilly & poor	2.33	Hilly & poor
32.33	ditto	37.38	Same	35.36	Shallow 2 <sup>nd</sup> rate. W. Oak, Hickory, Gum &c
28.33	ditto	36.37	Same	26.35	Hilly poor land. Timber Oak, Hickory &c
28.30	ditto	27.28	Same. W. Oak, Hickory, Gum &c	25.34	Same
31.32	Hollow, thin Soil.	26.27	Low 2 <sup>nd</sup> rate. Poor hilly & poor timber Same	22.26	Same
29.32	ditto	25.26	Low 2 <sup>nd</sup> rate	23.26	Same
29.30	ditto	24.25	Low 2 <sup>nd</sup> rate	24.25	Same
27.30	ditto	16.21	Low 2 <sup>nd</sup> rate	22.24	Same
27.20	ditto	15.16	Same	14.23	Same
27.30	ditto	9.16	Same	12.24	Same
30.31	Good farming land. Timber Oak &c	9.10	Same	13.14	Same
19.20	Land hilly poor W. Oak, Hickory, Gum &c	4.9	Same	11.14	Same
18.19	Same	3.4	Same	12.13	Same
17.18	Broken & poor W. Oak, Gum, Hickory &c	34.35	Same	2.11	Same
7.8	Very hilly & poor	27.34	Same	1.12	Same
7.8	Same	26.27	Same	1.2	Same
6.7	Same	22.27	Same		
5.6	Same	22.23	Same		
20.29	Same	15.22	Same		
20.21	Hilly poor & hilly W. Oak, C. Oak, Hickory, Beech &c	14.15	Same		
17.20	Hilly & poor	10.15	Same		
16.17	Same	10.11	Same		
8.17	Same	3.10	Same		



# Township N. 8 North, Range N. 3 East of 2<sup>nd</sup> Mer.

Range line -	Var.		
North Between Ranges 3 & 4 E. Townships 18 & 19 North		72.76 A. Maple 12 in. diam.	
On the East Side of Sec. 36		80.00 Set post corner of Sec. 12 & 13	
22.20 A. W. Oak 18 in. diam.		B. Oak 30 S 77 W 21	
40.00 gr. Sec. corner	M. Oak 13 S 61 E 25	W. Oak 24 S 70 E 48	
	Hickory 7 S 61 W 24	Brook land, Creek Bottom, Rich. Oak, Beech &c.	
62.90 A. Branch 8 lbs West		North On the East Side of Sec. 12	
77.45 A. Branch 8 lbs S. W.		13.72 A. W. Oak 10 in. diam.	
80.00 Set post corner of Sec. 25 & 36		40.00 gr. Sec. corner	Sapagras 8 S 60 W 11
	W. Oak 15 S 41 E 14		Dogwood 4 S 16 E 20
	do 20 S 21 W 37	55.24 A. W. Oak 18 in. diam.	
Broken land, Oak & Hickory, Aug. Sapagras		80.00 Set post corner of Sec. 18 & 12	
North On the East Side of Sec. 25			Beech 14 S 11 W 13
16.15 A. Sugar 18 in. diam.			Dogwood 4 S 5 E 11
16.98 A. Branch 20 lbs West		Broken land, Oak & Beech, Aug. Sapagras & Dogwood	
40.00 gr. Sec. corner	Sapagras 6 S 77 E 9	North On the East Side of Sec. 1	
	do 5 S 52 W 10	10.24 A. W. Oak 18 in. diam.	
56.56 A. W. Oak 20 in. diam.		40.00 gr. Sec. corner	Ches. Oak 9 S 56 E 24
62.40 A. Branch 8 lbs S. W.			do 10 S 19 W
80.00 Set post corner of Sec. 24 & 25		53.24 A. Red Oak 24 in. diam.	
	Hickory 20 S 57 E 15	84.76 Post corners of Ranges 3 & 4 E. Sec. 34 East	
	Poplar 18 S 59 E 26	Sec. 1, 6, 31, 36	W. Oak 13 S 43 E 16
Broken land, Oak, Beech, Hickory, Aug. & Spruce			Maple 7 S 10 W 20
North On the East Side of Sec. 24		Broken land, Oak, Hickory, Beech &c.	
15.90 A. W. Oak 15 in. diam.		Surveyed by John Mc. Donald D. I.	
40.00 gr. Sec. corner	W. Oak 18 S 53 W 24		
	Dogwood 6 S 82 E 25		
80.00 Set post corner of Sec. 13 & 24			
	Maple 9 S 35 E 8		
	W. Oak 12 S 57 E 30		
Broken land, timber Oak, Aug. Maple & Spruce			
North On the East Side of Sec. 13			
8.62 A. Beech 24 in. diam.			
17.90 A. Branch 100 lbs S. W.			
20.00 gr. Sec. corner	Hickory 7 S 61 W 24		
	W. Oak 24 S 70 E 48		

Township line		East	On the South Side of Sec. 32
West Between Townships 18 & 19 N. 3 East		9.50 A. W. Oak 18 in. diam.	
On the South Side of Sec. 36		16.50 A. Branch 25 lbs North	
40.00 gr. Sec. corner	W. Oak 20 S 57 W 9	36.50 A. W. Oak 12 in. diam.	
do 18 North 15		40.00 gr. Sec. corner	W. Oak 11 S 51 W 19
72.40 A. Branch 50 lbs S. W.			B. Oak 15 S 15 E 21
80.00 Set post corner of Sec. 35 & 36		69.00 A. W. Oak 14 in. diam.	
	Gum 10 S 35 W 34	80.00 Set post corner to Sec. 32 & 33	
	Dogwood 6 S 27 E 11		Gum 11 S 60 E 4
Broken land, timber Oak, Aug. Dogwood & Spruce			B. Oak 8 S 3 W 26
West On the South Side of Sec. 35			Poor hilly land, Beech, Gum &c.
40.00 gr. Sec. corner	W. Oak 10 S 53 E 20	East On the South Side of Sec. 33	
	B. Oak 6 S 7 E 18	22.75 A. W. Oak 14 in. diam.	
45.35 A. Branch 8 lbs North		36.50 A. Branch 25 lbs S. E.	
80.00 Set post corner of Sec. 34 & 35		40.00 gr. Sec. corner	Beech 9 S 44 W 14
	W. Oak 20 S 72 E 54		do 12 S 12 E 19
	do 12 S 65 W 53	50.00 A. Branch 20 lbs West	
Broken land, Oak, Dogwood, Aug. Sapagras		64.25 A. W. Oak 11 in. diam.	
West On the South Side of Sec. 34	May 30, 1889	80.00 Set post corner to Sec. 33 & 34	
12.77 Intersected this boundary at the corner			W. Oak 16 S 52 E 18
Surveyed by John Mc. Donald D. I.			do 18 S 78 W 38
March 28, 1881.			Poor hilly land, W. Oak, Beech &c.
From the corner of Ranges 3 & 4 E. N. 2 & 3 East		East On the South Side of Sec. 34	
East On the South Side of Sec. 31		9.00 A. Branch 25 lbs North	
7.50 A. Branch 10 lbs S. W.		23.50 A. W. Oak 16 in. diam.	
16.50 A. Red Oak 14 in. diam.		40.00 gr. Sec. corner	Gum 18 S 42 E 10
40.00 gr. Sec. corner	Gum 10 S 37 W 18		B. Oak 30 S 45 W 7
	B. Oak 5 S 49 E 24	57.00 A. W. Oak 16 in. diam.	
53.50 A. Branch 30 lbs North		58.50 To Boundary line	W. Oak 12 S 55 E 10
77.50 A. B. Oak 12 in. diam.			Beech 5 S 30 W 12
80.00 Set post corner of Sec. 31 & 32			Poor hilly W. Oak land
	W. Oak 12 S 28 W 8		Surveyed by Alex. Holmes D. I.
	Beech 10 S 57 E 30		
Land hilly & poor, Oak, Beech &c.			

See a correction of this Township line, at the end of the Subdivisions of this Township.



<p>Subdivisions South of Old Boundary of Township 8 N. Range 3 East</p> <p>North Between Sec<sup>s</sup> 33 &amp; 34</p> <p>40.00 gr. Sec. Corner Dogwood 3 S 16 W 4 Beach 15 N 17 W 26</p> <p>48.50 Set post on the boundary Cedar 15 S 88 W 10 Hickory 20 N 13 E 27</p> <p>Land Hilly, very hilly</p> <p>North Between Sec<sup>s</sup> 32 &amp; 33</p> <p>40.00 gr. Sec. Corner Ironwood 4 N 65 W 11 do 8 S 74 E 13</p> <p>68.65 A. Brook 100 lks West</p> <p>80.00 Set post corner of Sec<sup>s</sup> 28, 29, 32, 33 Beach 15 S 26 W 22 do 15 N 32 W 24</p> <p>Land the Same</p> <p>East Between Sec<sup>s</sup> 28 &amp; 33</p> <p>15.00 A. Brook 100 lks S. E</p> <p>36.83 Set Post on the Boundary N. Oak 12 S 55 E 13 Beach 3 N 43 W 6</p> <p>Land the Same</p> <p>North Between Sec<sup>s</sup> 28 &amp; 29</p> <p>25.50 To the Boundary in the Brook 100 lks East</p> <p>Land the Same</p> <p>North Between Sec<sup>s</sup> 31 &amp; 32</p> <p>34.00 A. Brook 1.25 lks S. W</p> <p>40.00 gr. Sec. Corner Beach 15 N 35 W 7 Ash 18 S 5 E 27</p> <p>80.00 Set post corner to Sec<sup>s</sup> 29, 30, 31, 32 Sugar 10 S 8 E 8 do 6 West 12</p> <p>Land Rolling thin soil</p>	<p>East Between Sec<sup>s</sup> 29 &amp; 32 (in Random)</p> <p>37.50 A. Brook 100 lks South</p> <p>40.00 Temporary gr. Sec. post</p> <p>40.00 A. Brook 100 lks North</p> <p>49.50 To Sec. Corner</p> <p>West Corner laid</p> <p>39.75 gr. Sec. Corner Beach 20 N 77 W 16 do 20 N 51 E 29</p> <p>49.50 Section Corner</p> <p>North Between Sec<sup>s</sup> 29 &amp; 30</p> <p>29.00 A. Brook 15 lks. South, West</p> <p>40.00 gr. Sec. Corner W. Oak 3 N 31 E 5 Hickory 24 S 47 W 6</p> <p>80.00 Set post corner of Sec<sup>s</sup> 19, 20, 29, 30 Sycamore 3 S 20 W 30 No other trees noted</p> <p>Land the Same</p> <p>East Between Sec<sup>s</sup> 20 &amp; 29</p> <p>1.50 Set post on the Boundary W. Walnut 4 N 15 E 12 do 10 S 7 E 16</p> <p>Land the Same</p> <p>North Between Sec<sup>s</sup> 19 &amp; 20</p> <p>1.39 Set post on the Boundary Beach 10 N 84 W 63</p> <p>Land the Same</p> <p>West Between Sec<sup>s</sup> 19 &amp; 30</p> <p>40.00 gr. Sec. corner W. Oak 20 N 85 E 15 do 20 N 85 W 19</p> <p>80.84 Set post on the West Boundary 96 lks North of Sec. Corner Poplar 20 S 9 E 12 do 15 N 43 W 14</p> <p>Land Hilly thin Soil. Oak &amp; Hickory</p>
--	---

West	Between Sec <sup>s</sup> 30 & 31	North	Between Sec <sup>s</sup> 17 & 18 (Dec <sup>r</sup> 8 <sup>th</sup> 1819)
7.00	A. Brook 12 lks S.W	27.56	A. Spruce 15 in. diam?
10.00	gr. Sec. corner Beech 10 lks 20 W	40.00	gr. Sec. corner Poplar 18 lks 1 W 24
	Sugar 7 1/2 32 E 20		R. Oak 24 1/2 84 E 50
50.58	Set post on the West boundary 11 lks	69.75	A. Hickory 12 lks in. diam?
	North of Sec. corner W. Oak 20 1/2 52 E 7	80.00	Set post corner to Sec <sup>s</sup> 7, 8, 17, 18
	do 15 West 22		W. Oak 28 1/2 76 W 75
	Good farming land, timber Oak 7 <sup>th</sup>		Spruce 10 1/2 67 E 39
	Surveyed by Arthur Menire D. I		Brother poor land, W. Oak, Spruce, Hickory - Sapras
	Subdivisions North of Old Boundary	West	Between Sec <sup>s</sup> 7 & 8 On Random
North	Between Sec <sup>s</sup> 19 & 20 1/2 S. N. R. 3 East	24.60	A. Brook 10 lks S. E
1.65	crossed old boundary line	100.00	gr. Sec. corner Temporary
5.00	Touch on bend of Stream 20 lks S E	76.10	A. Brook 10 lks East
10.13	A. Mahunt 18 in. diam?	80.74	Intersected West Boundary 24 lks South of corner
17.10	A. Brook 8 lks S 40 E		Very hilly & poor land, W. Oak, Hickory, Spruce
38.40	A. Brook 8 lks S 45 E		East Corrected
40.00	gr. Sec. corner Sugar 12 1/2 83 E 41	40.37	gr. Sec. corner Chas <sup>t</sup> Oak 13 1/2 65 E 24
	Hickory 8 1/2 77 W 61		do 13 1/2 85 W 50
55.00	A. Brook 20 lks S. E	80.74	Section corner
63.60	A. W. Oak 13 in. diam?	North	Between Sec <sup>s</sup> 7 & 8 (Dec <sup>r</sup> 9 <sup>th</sup> 1819)
78.00	A. Brook 17 lks S 15 W	22.64	A. W. Oak 15 in. diam?
80.00	Set post corner to Sec <sup>s</sup> 17, 18, 19, 20	40.00	gr. Sec. corner Chas <sup>t</sup> Oak 11 1/2 81 W 21
	Hickory 8 1/2 77 W 45		do 13 1/2 77 E 30
	Spruce 20 1/2 59 E 40	66.90	A. W. Oak 18 in. diam?
	Land hilly & poor, W. Oak, 119 <sup>th</sup> Dogwood	80.00	Set post corner to Sec <sup>s</sup> 5, 6, 7, 8
	West Between Sec <sup>s</sup> 18 & 19 On Random		R. Oak 40 1/2 44 E 11
23.00	A. Brook 15 lks South		Hickory 12 1/2 6 E 61
34.00	A. Brook 15 lks S 60 E		Land & Timber same
40.00	Temporary gr. Sec. post	West	Between Sec <sup>s</sup> 6 & 7 On Random
79.92	Intersected W. Boundary 19 1/2 lks S of corner	40.00	Temporary gr. Sec. post
	Hilly poor land, W. Oak, Chas <sup>t</sup> Oak, Hickory, Dogwood	43.60	A. Brook 4 lks S 30 E
	East Corrected	78.75	Intersected West Boundary 31 lks North of corner
39.76	gr. Sec. corner W. Oak 20 1/2 4 W 56		Poor hilly land, timber, Chas <sup>t</sup> Oak, B. Oak,
	Maple 14 1/2 10 E 9		Hickory - 119 <sup>th</sup> Dogwood & Sapras.
79.92	Section corner		



East Corrected Between Sec<sup>s</sup> 6 & 7  
 39.37<sup>2</sup> gr. Sec. corner Chst. Oak 10 ft 41 N 34  
 do 24 S 49 E 37  
 78.75 Section corner  
 North Between Sec<sup>s</sup> 5 & 6  
 11.39 A. Poplar 13 in. diam.  
 40.00 gr. Sec. corner Chst. Oak 24 S 56 N 46  
 do 18 S 24 E 50  
 54.00 A. Brook 6 lbs S 60 W  
 62.50 A. Maple 8 in. diam.  
 72.10 A. Brook 8 lbs S 70 W  
 80.50 A. Brook 10 lbs S 45 W  
 92.75 Intersected North Boundary 800 lbs East of corner  
 Hickory 3 S 40 E 22  
 do Oak 6 S 3 W 60  
 Land hill & floor. B. W. Chst. Oak. 10 ft 41 N 34  
 East Between Sec<sup>s</sup> 20 & 29  
 1.88 Crooked boundary line  
 2.00 A. Brook 20 lbs South  
 34.65 A. W. Oak 13 in. diam.  
 40.00 Set temporary gr. Sec. post  
 48.30 A. W. Oak 24 in. diam.  
 51.75 A. Brook 6 lbs S 80 E  
 72.00 A. Brook 20 lbs South  
 80.00 Set temporary Sec. post  
 Land hill & floor. W. Oak & Brook. 10 ft 41 N 34  
 North Between Sec<sup>s</sup> 28 & 29  
 Commence on boundary line in brook 100 lbs S 30 W  
 which is 250 ft from Section corner  
 14.60 Set temporary gr. Sec. post  
 21.70 A. Brook 14 in. diam.  
 25.50 A. Brook 20 lbs S 40 E  
 57.00 Intersected N. boundary 29 lbs N. of temporary post  
 Set post to Sec<sup>s</sup> 20, 21, 28, 29. W. Oak 18 S 77 N 41  
 do W. Oak 20 S 74 E 20 lbs Land hill & floor post bottom  
 W. Oak, Brook, Sugar, 10 ft 41 N 34 & Dogwood

South Between Sec<sup>s</sup> 28 & 29  
 41.25 Set post at average dist. for gr. Sec. corner  
 Beech 10 S 85 W 22  
 do 12 S 84 E 56  
 Travel West Between Sec<sup>s</sup> 20 & 29 Set  
 post at average dist. for gr. Sec. corner  
 Hickory 11 S 58 E 6  
 W. Oak 10 S 21 W 26  
 North Between Sec<sup>s</sup> 20 & 21  
 13.70 A. Beech 9 in. diam.  
 22.50 A. Brook 20 lbs S 15 W  
 26.50 Same Brook S 20 E  
 40.00 gr. Sec. corner Beech 7 S 19 E 10  
 do W. Oak 7 S 9 W 9  
 45.50 A. Brook 13 in. diam.  
 47.00 Same Brook S 15 E  
 57.75 A. W. Oak 13 in. diam.  
 50.00 Set post corner of Sec<sup>s</sup> 16, 17, 20, 21  
 Chst. Oak 18 S 20 W 67  
 do W. Oak 24 S 66 E 21  
 Land floor hill & floor. W. Chst. Oak.  
 Hickory & Brook. 10 ft 41 N 34  
 West Between Sec<sup>s</sup> 17 & 20 On Random  
 8.70 A. Brook 12 lbs South  
 40.00 Temporary gr. Sec. post  
 80.36 Intersected N. Boundary 14 lbs N. of corner  
 Land hill & floor. W. Oak & Hickory. 10 ft 41 N 34  
 East Corrected  
 40.15 gr. Sec. corner B. Oak 6 S 83 N 4  
 do 16 S 47 E 27  
 81.36 Section corner  
 North Between Sec<sup>s</sup> 16 & 17  
 11.40 A. W. Oak 13 in. diam.  
 40.00 gr. Sec. corner W. Oak 16 S 15 E 31  
 do 24 S 63 W 23

46.00 A. Brook 6 lbs S 80 E  
 54.40 A. B. Oak 24 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 8, 9, 16, 17  
 W. Oak 36 S 89 E 44  
 do 36 S 81 W 15  
 Land the same, but thickety  
 West Between Sec<sup>s</sup> 8 & 17 On Random  
 12.50 A. Brook 5 lbs S 60 E  
 40.00 Temporary gr. Sec. post  
 75.00 A. Brook 8 lbs South  
 80.00 Intersected N. Boundary 153 lbs North of corner  
 100 lbs floor. W. B. Chst. Oak. Hickory, 10 ft 41 N 34  
 East Corrected  
 40.00 gr. Sec. corner Poplar 8 S 37 W 46  
 do Walnut 3 S 39 E 14  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 8 & 9  
 8.10 A. Brook 8 lbs S 60 E  
 12.50 A. Sugar 13 in. diam.  
 18.00 A. Brook 20 lbs East  
 40.00 gr. Sec. corner W. Oak 12 S 52 E 31  
 do 16 S 25 W 13  
 55.60 A. Brook 20 lbs S 35 E  
 58.60 A. Beech 10 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 4, 5, 8, 9  
 W. Oak 6 S 35 E 8  
 do 12 S 77 W 52  
 Land hill & floor. W. B. Oak. Hickory & Sugar. Dogwood  
 West Between Sec<sup>s</sup> 5 & 8 On Random  
 8.90 A. Brook 15 lbs S 15 E  
 40.00 Temporary gr. Sec. post  
 53.50 A. Brook 6 lbs South  
 56.75 A. Brook 6 lbs S 15 E  
 80.80 Intersected N. boundary 53 lbs N. of corner  
 Land & Timber same

East Corrected Between Sec<sup>s</sup> 5 & 8  
 40.40 gr. Sec. corner W. Oak 18 S 54 E 32  
 Chst. Oak 14 S 11 E 16  
 80.80 Section corner  
 North Between Sec<sup>s</sup> 4 & 5  
 20.40 A. W. Oak 18 in. diam.  
 40.00 gr. Sec. corner Chst. Oak 10 S 89 E 19  
 do 12 S 75 W 35  
 49.80 A. W. Oak 12 in. diam.  
 87.00 Intersected N. Boundary 660 lbs East of corner  
 W. Oak 13 S 72 W 66  
 do 30 S 83 E 14  
 Land hill & floor. W. B. Chst. Oak. Hickory, 10 ft 41 N 34  
 East Between Sec<sup>s</sup> 28 & 33  
 Commence at Sec. corner  
 30.80 Crooked boundary line  
 40.00 Temporary gr. Sec. post  
 47.60 A. Gum 9 in. diam.  
 80.00 Set temporary gr. Sec. post  
 Land hill & floor. W. Oak, Sugar & Brook  
 West Between Sec<sup>s</sup> 28 & 33  
 39.00 gr. Sec. corner W. Oak 28 S 1 W 5  
 Beech 12 S 45 E 23  
 North Between Sec<sup>s</sup> 33 & 34  
 Commence at 1/2 mile post  
 4.80 Crooked boundary line  
 12.50 Corner at D  
 17.00 A. Gum 14 lbs S 85 W  
 20.50 A. Hickory 8 in. diam.  
 39.50 Intersected North Boundary 200 lbs West of temporary  
 post. Set post corner to Sec<sup>s</sup> 27, 28, 33, 34  
 Beech 10 S 75 W 35  
 Sugar 6 S 35 E 37  
 Land & Timber same



North Between Sec<sup>s</sup> 2 & 28  
 11.00 A. W. Oak 18 in. diam.  
 16.00 gr. Sec. corner Hickory 13 ft 60 E 32  
 W. Oak 16 ft 35 W 15  
 44.60 A. Brook 8 lbs S 60 W  
 59.00 A. Sugar 8 in. diam.  
 74.50 A. Brook 15 lbs West  
 80.00 Set post corner to Sec<sup>s</sup> 21, 22, 27, 28  
 W. Oak 12 ft 19 E 32  
 Beech 7 ft 22 W 25  
 Same Hilly & poor. W. Oak, Hickory, Gum & Dogwood  
 West Between Sec<sup>s</sup> 21 & 28 on Brandon  
 12.50 A. Stream 100 lbs South  
 40.00 Temporary gr. Sec. post  
 77.78 Intersected W. Boundary at Sec. corner  
 First 1/2 mile 2<sup>nd</sup> Inter. last 1/2 poor. W. Oak, Hickory, Gum, Dogwood & Sassafras  
 East corrected  
 38.89 gr. Sec. corner W. Oak 14 ft 39 W 58  
 Gum 14 ft 52 E 2  
 77.78 Section corner  
 North Between Sec<sup>s</sup> 21 & 22  
 4.50 A. Brook 6 lbs S 30 W  
 10.36 A. W. Oak 18 in. diam.  
 27.50 A. Stream 90 lbs S 40 W  
 31.50 Same Stream S 30 E  
 34.50 Same Stream S 60 W  
 40.00 gr. Sec. corner Steam 48 ft 4 E 25  
 Hickory 18 ft 32 W 7  
 43.50 last mentioned Stream S 80 E  
 49.00 Same Stream S 35 W  
 59.40 An. Elm 12 in. diam.  
 65.00 A. Stream 50 lbs S 80 E  
 80.00 Set post corner to Sec<sup>s</sup> 15, 16, 21, 22  
 W. Oak 20 ft 4 W 42  
 do 16 ft 10 E 33  
 Same 2<sup>nd</sup> rate. Bottomed. W. Oak, Elm & Beech

West Between Sec<sup>s</sup> 16 & 21 on Brandon  
 4.50 A. Stream 50 lbs S 80 W  
 26.00 A. Brook 15 lbs S 60 E  
 40.00 Temporary gr. Sec. post  
 77.90 Intersected W. boundary 4 lbs S 60 E corner  
 Last Hilly & poor. W. Oak, Hickory, Gum, Dogwood & Sassafras  
 East corrected  
 29.95 gr. Sec. corner Beech 14 ft 34 E 20  
 Sugar 10 ft 58 W 14  
 77.90 Section corner  
 North Between Sec<sup>s</sup> 15 & 16 (2<sup>nd</sup> 1/2 mile 19)  
 6.25 A. Spring 900 lbs running West head 100 lbs East  
 21.38 A. W. Oak 14 in. diam.  
 40.00 gr. Sec. corner W. Oak 26 ft 42 E 47  
 do 12 ft 38 W 25  
 54.40 A. W. Oak 18 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 9, 10, 15, 16  
 Sugar 15 ft 22 W 43  
 W. Oak 15 ft 41 E 56  
 Same 2<sup>nd</sup> rate. Same  
 West Between Sec<sup>s</sup> 9 & 16 on Brandon  
 17.50 A. Brook 15 lbs S 30 W  
 40.00 Temporary gr. Sec. post  
 59.50 A. Brook 15 lbs S 70 E  
 80.00 Intersected W. Boundary 55 lbs S 70 E corner  
 Same 2<sup>nd</sup> rate. Same & Hickory  
 East corrected  
 40.00 gr. Sec. corner W. Oak 18 ft 80 E 38  
 Hickory 7 ft 79 W 29  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 9 & 10  
 20.05 A. W. Oak 12 in. diam.  
 40.00 gr. Sec. corner W. Oak 13 ft 8 W 33  
 do 11 ft 50 E 29

49.00 A. W. Oak 30 in. diam.  
 77.30 A. Brook 5 lbs S 70 E  
 80.00 Set post corner to Sec<sup>s</sup> 3, 4, 9, 10  
 W. Oak 12 ft 16 W 63  
 A. Oak 15 ft 4 E 23  
 Same Hilly, poor & Hickory. W. Oak, Hickory, Dogwood & Sassafras  
 West Between Sec<sup>s</sup> 10 & 9 on Brandon  
 1.00 A. Brook 5 lbs S 70 E  
 40.00 Temporary gr. Sec. post  
 60.00 A. Brook 15 lbs South  
 80.48 Intersected W. boundary 48 lbs S 70 E corner  
 Same 2<sup>nd</sup> rate. Same  
 East corrected  
 40.24 gr. Sec. corner W. Oak 12 ft 13 W 54  
 do 12 ft 13 E 6  
 80.48 Section corner  
 North Between Sec<sup>s</sup> 3 & 4  
 30.60 A. Ches. Oak 24 in. diam.  
 40.00 gr. Sec. corner W. Oak 12 ft 37 W 48  
 Poplar 30 ft 37 E 4  
 51.25 A. Poplar 36 in. diam.  
 55.50 A. Brook 8 lbs S 40 W  
 87.50 Intersected W. boundary 8.90 E of corner  
 B. Oak 3 ft 44 E 31  
 W. Oak 3 ft 52 W 7  
 Same 2<sup>nd</sup> rate. Same  
 North Between Sec<sup>s</sup> 3 & 35  
 10.60 A. W. Oak 14 in. diam.  
 26.60 A. Brook 50 lbs S 80 E  
 40.00 gr. Sec. corner Gum 12 ft 30 E 14  
 W. Oak 12 ft 70 W 18  
 80.00 Set post corner to Sec<sup>s</sup> 26, 27, 34, 35  
 W. Oak 10 corner tree  
 B. Oak 14 ft 54 E 47  
 Same 2<sup>nd</sup> rate. Same

West Between Sec<sup>s</sup> 27 & 34 on Brandon  
 1.00 A. Brook 10 lbs S 40 E  
 23.50 A. Brook 8 lbs S 15 E  
 40.00 Temporary gr. Sec. post  
 55.00 A. Brook 8 lbs S 45 W  
 80.00 Intersected W. boundary 3.4 lbs S 45 W corner  
 Hilly & poor. W. Oak, Hickory, Gum, Dogwood & Sassafras  
 East corrected  
 40.00 gr. Sec. corner W. Oak 24 ft 35 E 18  
 B. Oak 6 ft 58 W 12  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 26 & 27  
 6.75 A. Brook 8 lbs S 45 W  
 22.00 A. W. Oak 14 in. diam.  
 40.00 gr. Sec. corner Dogwood 5 ft 30 W 25  
 do 4 ft 49 E 4  
 53.40 A. Poplar 10 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 22, 23, 26, 27  
 Gum 14 ft 89 E 12  
 Beech 8 ft 77 W 11  
 Same 2<sup>nd</sup> rate. Same  
 West Between Sec<sup>s</sup> 22 & 27 on Brandon  
 28.75 A. Brook 6 lbs S 70 W  
 40.00 Temporary gr. Sec. post  
 69.50 A. Brook 6 lbs S 50 W  
 77.60 Intersected W. Boundary 20 lbs S 70 E corner  
 Same 2<sup>nd</sup> rate. Same  
 East corrected  
 39.80 gr. Sec. corner Poplar 18 ft 60 W 12  
 Beech 8 ft 63 E 19  
 77.60 Section corner  
 North Between Sec<sup>s</sup> 22 & 23  
 13.50 A. Brook 5 lbs West  
 39.50 A. Brook 12 in. diam.  
 40.00 A. Brook 12 lbs S 50 W



10.00 gr. Sec. corner Maple 10 ft 33 E 18  
Sycamore 4 West 47

37.00 A. B. Oak 14 in. diam.

60.00 A. Brooks 15 lbs S 80 W

80.00 Set post corner to Sec 14, 15, 22, 23

M. Oak 22 ft 39 N 70

do 32 East 14

Land & timber: M. Oak, Hickory, Sugar, Dogwood, etc.

West Between Sec 15 & 22 On Tranclose

40.00 Temporary gr. Sec. post

66.00 A. Stream 80 lbs S 15 W

80.00 Intersected N. boundary 33 lbs N. of Sec. corner

Land & timber as above

East corrected

10.00 gr. Sec. corner Spruce 12 ft 48 N 15

M. Oak 12 ft 39 N 31

80.00 Section corner

North Between Sec 14 & 15

20.50 Spr. Elm 14 in. diam.

21.00 A. Stream 80 lbs West

40.00 gr. Sec. corner Brooks 26 ft 57 N 20

Sugar 10 ft 35 E 22

54.00 A. M. Oak 13 in. diam.

76.00 A. Brook 5 lbs S 30 E

80.00 Set post corner to Sec 10, 11, 14, 15

M. Oak 16 ft 13 E 40

do 12 ft 13 N 65

Land & timber same as above

West Between Sec 10 & 15 On Tranclose

30.50 A. Brook 8 lbs S 80 E

40.00 Temporary gr. Sec. post

15.00 A. Brook 12 lbs South

80.75 Intersected West boundary 14 lbs South of Sec. corner

Land: Hilly Spruce, M. Oak, B. Oak, Hickory

Along the Dogwood & Sycamores

West corrected Between Sec 10 & 15

10.37 gr. Sec. corner M. Oak 10 ft 33 N 18

do 20 ft 62 E 19

80.75 Section corner

North Between Sec 10 & 11

20.00 A. Hickory 11 in. diam.

40.00 gr. Sec. corner M. Oak 12 ft 57 N 37

do 14 ft 58 E 45

40.50 A. Brook 8 lbs S 60 E

58.75 A. Spruce 9 in. diam.

68.50 A. Brook 15 lbs S 30 E

80.00 Set post corner to Sec 2, 3, 10, 11

M. Oak 14 ft 30 E 21

do 18 ft 42 E 60

Land: Spruce, White, M. Oak, Hickory, Spruce, etc.

West Between Sec 3 & 10 On Tranclose

6.70 A. Brook 8 lbs South

17.00 A. Brook 10 lbs S 15 E

40.00 Temporary gr. Sec. post

66.00 A. Brook 8 lbs South

81.00 Intersected N. boundary 45 lbs S. of Sec. corner

Land & timber same as above

East corrected

10.50 gr. Sec. corner M. Oak 14 ft 22 E 4

do 12 ft 10 N 22

81.00 Section corner

North Between Sec 2 & 3

19.00 A. M. Oak 12 in. diam.

33.50 A. Brook 6 lbs S 80 E

40.00 gr. Sec. corner M. Oak 8 ft 10 N 38

do 8 ft 3 N 38

46.50 A. Brook 4 lbs S 30 E

39.81 A. M. Oak 14 in. diam.

81.85 Intersected N. boundary 11 lb E. of corner

M. Oak 15 ft 19 N 32

do 3 ft 39 E 12

Land: the same

North Between Sec 35 & 36

22.00 A. M. Oak 18 in. diam.

33.00 A. Stream 20 lbs S 80 W

40.00 gr. Sec. corner M. Walnut 13 ft 30 E 40

do 8 ft 30 N 67

52.85 A. M. Oak 12 lbs in. diam.

80.00 Set post corner of Sec 23, 24, 33, 36

M. Oak 15 ft 70 E 40

do 18 ft 28 E 27

Land: Spruce, M. Oak, Hickory, Dogwood, etc.

West Between Sec 25 & 36 On Tranclose

17.50 A. Brook 2 lbs S 10 W

10.00 Temporary gr. Sec. post

45.00 A. Brook 10 lbs S 40 E

80.76 Intersected West boundary 310 lbs N. of corner

Land: Hilly Spruce, M. Oak, Hickory, Sugar, Sycamores

East corrected

40.38 gr. Sec. corner M. Oak 13 ft 26 N 25

do 13 ft 27 N 22

80.76 Section corner

East Between Sec 25 & 36

19.10 A. M. Oak 24 in. diam.

23.70 A. Brook 10 lbs South

40.00 gr. Sec. corner M. Oak 18 ft 17 N 57

Sugar 11 ft 2 N 11

46.00 A. Brook 6 lbs S 60 E

52.80 A. Sycamore 26 in. diam.

54.00 A. Brook 25 lbs S 20 W

68.10 Intersected E. boundary 9 ft N. of Sec. corner

M. Oak 16 ft 18 N 18

Spruce 16 ft 62 N 55

Land: Spruce, M. Oak, Hickory, Dogwood, Sycamores

North Between Sec 25 & 26

13.00 A. B. Oak 12 in. diam.

20.00 A. Brook 6 lbs S 40 E

36.00 A. Brook 5 lbs S 25 E

40.00 gr. Sec. corner M. Oak 13 ft 8 N 38

do 16 ft 5 E 25

58.50 A. Hickory 18 in. diam.

59.50 A. Brook 10 lbs S 60 W

80.00 Set post corner to Sec 23, 24, 25, 26

Brook 12 ft 49 E 41

Hickory 13 ft 60 N 34

Land: Spruce, M. Oak, Hickory, Sugar, Sycamores

West Between Sec 23 & 26 On Tranclose

40.00 Temporary gr. Sec. post

80.82 Intersected N. boundary 9 lbs N. of Sec. corner

Land: Hilly Spruce, M. Oak, Hickory, Sugar, Sycamores

East corrected

40.11 gr. Sec. corner Spruce 10 ft 23

do 10 ft 75 E 33

80.82 Section corner

East Between Sec 24 & 25

2.30 A. Brook 6 lbs S 10 E

12.50 A. Brook 6 lbs S 20 W

15.75 A. M. Oak 18 in. diam.

40.00 gr. Sec. corner M. Oak 12 ft 57 N 42

do 7 ft 56 E 32

46.90 A. M. Oak 16 in. diam.

68.40 A. Brook 8 lbs S 40 W

68.50 Intersected E. boundary 116 lbs North of post corner

M. Oak 16 ft 52 E 18

do 11 ft 31 N 54

Land: Timber same as north Spruce

North Between Sec 23 & 24

24.70 Spr. Ash 12 in. diam.

40.00 gr. Sec. corner M. Oak 12 ft 58 N 33

do 14 ft 55 E 53

65.31 A. Maple 13 in. diam.



30.00 Set post corner to Sec. 13-14-23-24  
 N. Oak 12 South 30  
 W. 9 North 20  
 Land N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 West Between Sec. 13-14-23-24 On Random  
 8.60 A. Brook 10 lbs N 40 W  
 40.00 Temporary gr. Sec. post  
 79.50 Intersected West boundary 32 lbs N. of Sec. corner  
 Land timber same 3rd rate  
 East Corrected  
 39.76 gr. Sec. corner N. Oak 18 S 61 E 38  
 Hickory 14 S 88 W 43  
 79.52 Section corner  
 East Between Sec. 13-14-24  
 11.50 A. N. Oak 12 in. diam.  
 37.00 A. Brook 8 lbs North  
 40.00 gr. Sec. corner N. Oak 12 S 61 W 22  
 Beech 8 N 59 E 11  
 60.70 A. Hickory 15 in. diam.  
 62.50 A. Brook 10 lbs S 10 W  
 68.00 Intersected East boundary 2.40 lbs North of 4th corner  
 Beech 10 S 12 W 3  
 B. Oak 6 S 32 E 47  
 N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 North Between Sec. 13-14-24 (Sec. 23-24-1819)  
 16.00 A. N. Oak 13 in. diam.  
 33.00 A. Hickory 70 lbs S 50 W  
 40.00 gr. Sec. corner Beech 8 N 49 S 30 W 61  
 do 12 S 60 E 20  
 69.72 A. N. Oak 18 in. diam.  
 80.00 Set post corner to Sec. 11-12-13-14  
 N. Oak 10 S 83 E 35  
 do 16 S 38 W 22  
 N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.

West Between Sec. 11-14 On Random  
 31.00 A. Brook 25 lbs S 15 W  
 40.00 Temporary gr. Sec. post  
 45.60 A. Brook 20 lbs S 10 W  
 79.10 Intersected N. boundary 26 lbs N. of Sec. corner  
 Land N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 East Corrected  
 39.55 gr. Sec. corner Beech 5 S 6 E 35  
 N. Oak 12 S 15 W 10  
 79.10 Section corner  
 East Between Sec. 12-13  
 23.00 A. Brook 15 lbs S 10 W  
 31.30 A. N. Oak 18 in. diam.  
 39.90 A. Brook 6 lbs S 13 W  
 40.00 gr. Sec. corner N. Oak 16 S 41 W 54  
 do 12 S 46 W 63  
 63.15 A. N. Oak 12 in. diam.  
 66.50 Intersected E boundary 2.40 lbs N. of post corner  
 N. Oak 12 S 35 W 33  
 B. Oak 10 S 53 W 20  
 Land timber same  
 North Between Sec. 11-12 (Sec. 24-1819)  
 12.20 A. N. Oak 30 in. diam.  
 40.00 gr. Sec. corner N. Oak 9 S 65 W 28  
 Beech 11 S 70 E 30  
 52.40 A. N. Oak 14 in. diam.  
 60.00 A. Brook 15 lbs S 40 W  
 80.00 Set post corner to Sec. 1-2-11-12  
 N. Oak 20 S 6 E 30  
 Gum 18 S 60 W 12  
 West Between Sec. 2-11 On Random  
 16.00 A. Brook 15 lbs South  
 37.60 A. Brook 8 lbs S 10 E  
 40.00 Temporary gr. Sec. post

79.10 Intersected N. boundary 130 lbs N. of Sec. corner  
 N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 East Corrected  
 39.55 gr. Sec. corner N. Oak 16 corner tree  
 do 15 S 57 W 55  
 79.10 Section corner  
 East Between Sec. 1-2  
 9.90 A. N. Oak 15 in. diam.  
 16.30 A. Brook 5 lbs S 10 W  
 28.50 A. Brook 15 lbs S 20 W  
 40.00 gr. Sec. corner N. Oak 12 S 84 W 70  
 do 20 S 53 E 21  
 65.90 Intersected E boundary 3.50 lbs N. of post corner  
 B. Oak 7 S 12 W 18  
 Maple 7 S 9 E 23  
 N. Oak 8 feet. N. Oak 12 feet. N. Oak 12 feet. N. Oak 12 feet.  
 North Between Sec. 1-2  
 15.50 A. N. Oak 12 in. diam.  
 40.00 gr. Sec. corner N. Oak 11 S 59 W 37  
 do 12 S 65 E 53  
 47.80 A. Brook 8 lbs S 20 W  
 65.45 A. N. Oak 14 in. diam.  
 76.75 Intersected North boundary 14.12 East of  
 post corner to Sec. 35-36 in the adjacent  
 township Set post Beech 7 S 16 W 8  
 do 14 S 63 E 18  
 Surveyed by James Hedges D. S.

### Correction of Town line

After running a Random line between Sec. 27-28-35-36  
 S. N. E. from the corner on town line  
 anticipated an error had been made in the  
 measurement on the town line from the  
 great distance the Random fell short  
 of being a mile.

Then went South to the gr. Sec. post at the  
 South side of 34 and measured East on town  
 line and found the distance from the 1/4 mile  
 post to the corner of Sec. 34-35 to be 30 chains  
 80 lbs I then continued East 9 lbs 22 lbs so as to  
 complete the dist. and set post on town line for  
 corner of Sec. 34-35 from which a N. Oak 18 S 50 W 14  
 & a N. Oak 14 S 45 E 10 lbs from this corner I run  
 North between Sec. 34-35—  
 measured on town line and set gr. Sec. post  
 at the South side of Sec. 35 at its proper dist.  
 from which a N. Oak 16 S 16 E 32 lbs & a N. Oak 17  
 S 30 W 15 lbs  
 Set the corner of Sec. 35-36 on town line 98 lbs  
 N. R. 3 E to its proper distance from which a  
 N. Oak 13 S 2.30 W 4 lbs & a N. Oak 14 S 50 E 25 lbs  
 Set the 1/2 mile post at South side of Sec. 36  
 78 N. R. 3 E from which N. Oak 16 S 3 W 58  
 do 14 S 30 W 50  
 Surveyed by James Hedges D. S.